

1) Locate the Information icon within your ECoS & identify the current software version. (Image may vary)



- 2) Create a folder on your PC called ECoS Updates. (Remember the location)
- 3) Register your ECoS with ESU by **creating an account**. This will allow you access to the updates. If you are not registered they won't be visible.
- 4) Login to ESU Website.
- 5) Select Download
- 6) Select Firmware & Software
- 7) Select ECoS / Central Station Reloaded

8) Select Download to obtain ECoS Firmware update required one at a time to the folder on your PC called (ECoS Updates). You will have to do ALL the updates, starting from your current version obtained in step 1), NOT just the latest one.



Download (7.31 MB)

Language: ____, Date: 18.03.11, Version: 3.4.0

Language: [3], Date: 19.11.10, Version: 3.3.3

Additional informationen

Firmware update 3.3.3

Additional informationen

9) From the licence agreement, scroll to the bottom



This license agreement ("the Agreement") is a legal agreement between you and ESU, LDG ("ESU") for the sound samples ("Sound Samples") and software licensed from this internet site ("Content") as well as other content owned by ESU and its third party licensors that also includes images, mixes and documentation. By installing or using the Content, you are agreeing to be bound by the terms of this Agreement. IF YOU DO NOT AGREE TO THE TERMS OF THIS AGREEMENT, YOU ARE GRANTED NO RIGHTS IN RESPECT OF THE CONTENT AND MUST PROMPTLY DELETE THE CONTENT YOU HAVE INSTALLED.

10) Select Download

rights operate as a waiver of any subsequent breach and no right, power or remedy herein conferred upon or reserved for either party is exclusive of any other right, power or remedy available to that party and each such right, power or remedy shall be cumulative.

7.7 Notwithstanding that the whole or any part of any provision of this Agreement may prove to be llegal or unenforceable the other provisions of this Agreement and the remainder of the provision in question shall remain in full force and effect.



11) At the bottom of your screen, click the menu option '

and select Save As, NOT (Save).


Open

ESU ECoS 50000 & Central Station "Reloaded" - Firmware


The ESU ECOS Command Station firmware as well as the Central Station "Reloaded" firmware is constantly evolving. Get the latest

Do you want to open or save ECoS2_update_3-6-1_01.zip (8.06 M8) from www.esu.eu?


12) This will open the Browse window allowing you to select the folder (ECoS Updates) created in step 2 as the destination for your downloaded updates.



- 13) Select Save
- 14) Repeat steps 8 to 14 for further downloads or Logout from the ESU Website if finished.
- 15) Locate the downloaded Zip files one at a time in the folder **(ECoS Updates)** on your PC and double click it.
- 16) Select Extract all files.




17) The destination folder for the extracted files is shown here. Select Extract.



- 18) Repeat steps 15 to 17 for ALL ECoS downloads.
- 19) Connect your ECoS direct to the PC with a crossover cable, or if using a Hub, with a standard network cable.
- 20) Set up the ECoS Network connection on your PC. You may need help from a computer expert with network experience.
- 21) Set up the ECoS IP address. You may need help from a computer expert with network experience.
- 22) Launch your internet browser.
- 23) Insert the ECoS IP Address in your browser & press Enter.







- 25) Select Firmware update
- 26) Use the Browse button to select the firmware update file from the unzipped folder in **(ECoS Updates) Step 15.**
- 27) Press the Send button once only and WAIT while the software uploads to ECoS. There is NO progress bar to follow, you just have to wait. This could take up to 20 min so be patient.
- 28) When the update is complete, ECoS will reboot
- 29) When the ECoS reboot is complete, press F5 to refresh your internet browser. The updated ECoS information will now be shown on your PC screen.
- 30) Task complete.
- 31) Close the browser or repeat steps 17 to 21 if another update is required.